

LIFTING AND MOVING PATIENTS

DND Primary Care Paramedicine

Module: 01

Section: 03


- Introduction
- Body mechanics
- Principles of moving patients
- Equipment

- In addition to emergency care, patients may require safe:
 - Lifting
 - Handling
 - Transportation
- Patients should not be subjected to unnecessary pain or discomfort as a result of your care

- Paramedics are required to lift patients and equipment every shift
- Correct technique and practice will allow for a longer and healthier career
- 62% of prehospital providers back injuries result from lifting Patients (Hogya, PT 1990)
- Injuries are due to 3 major factors:
 1. Significant lifting force (pt weight)
 2. Repetitive movements
 3. Awkward positions


Supporting the Vertebrae

- The back is a complex structure of bone and muscle supported by cartilage, tendons, ligaments and fed by a network of blood vessels and nerves.







Functions of the Disc

- Shock absorber
- Spacer
- Reduces friction
- Limits excessive movement



Intervertebral Discs





- Use your legs not your back to lift
- Keep the weight of the object as close to your body as possible
- Stack up your posture
- Reduce the height or distance you need to move the object

- All members should be trained in similar techniques
- Ideally partners should have adequate and equal strength
- Communication is critical
- Use commands that are easy for the team to understand

- Before moving a load either on your own or as part of a team;
 - Plan – your manoeuvre
 - Prepare – your route, equipment etc.
 - Position – stable and mobile base
 - Perform – in a safe manner
- Ensure each team member is fully aware of the plan and it's within their individual capability

- Allows for maximum control while raising or lowering a stretcher
- Hands ~25 cm apart
- Fingers completely wrapped around bar



- Place feet a comfortable distance apart
- Turn feet slightly outward
- Bend knees (should feel like sitting not falling)
- Tighten muscles of back and abdomen
- Keep feet flat, weight evenly distributed
- Place hands a comfortable distance apart (~25 cm)
- Use a power grip
- Back should remain locked








- Lift in unison, keeping your back locked, knees bent, and feet flat

- Much overlooked part of body mechanics
- Poor posture can easily tire the back and abdominal muscles
- Awareness
 - Vertical alignment when standing
 - Even weight distribution when sitting
 - Fitness

Lifting and Moving Patients

PRINCIPLES OF MOVING PATIENTS

Types of Lifts and Moves



- An unstable or unsafe scene may require that the patient gets moved before emergency care can begin
- Occurs when the immediate danger outweighs the potential harm to the patient by moving them

- Fire or threat of fire
- Explosion or threat of explosion
- Inability to protect the patient from the hazards of the scene
- Inability to gain access to patients who need life-saving care
- When life saving care cannot be given due to patient location



Blanket Drag



Shoulder Drag



One-rescuer Crutch



- Generally performed with other rescuers
- Require no equipment
- Should not be used with spinal injured patients
- Commonly used to transfer patients to stretcher

- Independent Transfer
 - Patient is able to perform all aspects of transfer ie sit up in a safe manner without assistance
- Assisted Transfer
 - Patient actively participates, but also requires assistance
- Dependant Transfer
 - Patient does not participate actively or very minimally. Care providers perform all aspects of the transfer.

- Pivot or slide. Do not twist
- Make sure step path is clear
- Properly position chair, bed or stretcher
- Transfer patient to stronger side
- Bend your knees, use legs when lifting. Do not lift with straight legs.
- Have patient assist as much as possible
- Provide clear directions to the patient on what you are about to do.

- Use draw sheet for bed mobility if patient can only minimally assist
- Adjust bed height to make transfers easier
- When ever possible, use your body weight and momentum to move patient rather than “muscle” the patient up.
- Place feet shoulder width apart or one foot in front of the other to make a wide base
- Do not lean over patient
- When/where available use mechanical lifting devices

- Assisted transfer for
 - Chair, bed, wheelchair and stretcher
- Requires one clinician
- Clinician grabs around pt hips, pt grabs shoulders.
- Do not allow pt to place arms around neck
- Use momentum to bring patient forward
- Pivot, not twist toward intended target



- Always check first if pt is able to move over on own
- Use sheets to slide patient over
- Use at least four clinicians for move
- Someone needs to coordinate and call the move.
- Move in sync
- NEVER leave the side rail down when complete



- Indicated for immobile patients
- Use draw sheet
- Minimum three clinicians
- Slide patient to edge of bed
- Clinician(s) on bed side hop up on bed for final move
- Clinician to call move/ in sync



- Also known as the “Fore and Aft Lift”
- Used to move from a chair or floor to a stretcher
- Should not be used if patient has arm or leg injuries
- Requires two rescuers

- Take a position at the patient's head. The other rescuer should kneel at the patient's knees
- Place hands under the patient's shoulders and grasp their wrists
- Second rescuer should place hands under the patient's knees
- Lift to the desired height



FIGURE 1-27A Move up to a crouch and then to the standing position.




FIGURE 1-27B Get in position at the head and feet of the patient.

Lifting and Moving Patients

EQUIPMENT

- Generally the best way to move a patient is the one that will cause the least pain
- Decision based upon:
 - Patient condition
 - Environment
 - Resources available
- Let your equipment do the work

Patient Moving Equipment

Patient Moving Equipment

Stretchers

Stair Chair

Backboard


Wheel chair

Vest Type Immobilization
Device (AKA "KED")

EZ Slider

Hover Matt & Jack

Transfer Belt



- Standard Stretcher
 - Wheeled legs with a collapsible undercarriage
 - May be loaded into ambulance
- Powered Stretchers
 - Similar to standard model but with rechargeable battery that allow the stretcher raise and lower
- Portable Stretcher
 - Does not have an undercarriage or wheels
 - Mostly used by air ambulance or disaster caches

- Bariatric Stretcher
 - Designed to transport pt between 600 to 1200 lbs.
- Scoop stretcher
 - Splits into two or four sections to be fitted around patient

Standard Stretchers



Portable Stretcher



Powered Stretchers



Bariatric Stretcher



- Often used for:
 - Spinal immobilization
 - Tight extrications
 - Taking unconscious patients up/down stairs



- Unless there is a life-threatening emergency, patients should not be moved until a primary assessment is complete
- Patients in shock may benefit from having legs elevated
- Patients with pain or breathing problems may need to sit up
- Conscious patients should be placed in a position of comfort
- Unconscious patients should be placed in recovery position

Stretcher Positioning




Supine



Left Lateral Recumbent



Prone



Fowler's



Right Lateral Recumbent



Trendelenberg

- Most stretchers have release handles on one side and the end
- Position patient
- Secure equipment
- Communicate with patient and partner
- Reassess patient after the lift

- Check Equipment
 - Daily inspection for wear and tear
 - Checking straps/buckles, mattress, frame, levers, wheels.
- Secure Patient
 - ALL straps must be applied including shoulder harness
- Maintain Situational Awareness
 - Always scan your environment / being familiar
- Communicate with Partner
 - Verbalize actions, acknowledge understanding

STRETCHER SAFETY

RULE OF FOURS: PLEASE FOLLOW THESE
RULES WHEN USING A STRETCHER

4

FOUR EYES

Two people looking at each other and communicating

4

FOUR HANDS

Use **FOUR** hands when using the stretcher on uneven ground

4

FOUR STEPS

Scan the ground surface every **FOUR** steps (holes, rocks etc.)

4

FOUR WHEELS


Look at all **FOUR** wheels during ground scan

Stretcher Safety

Uneven Surfaces



- Patient movement up and down stairs dramatically increased risk of injury
- Stair chair provides the safest means
- Light weight folding device
 - Wheeled
 - Straps
 - Grab bar below patient's feet
 - Handles





- Patient movement up and down stairs dramatically increased risk of injury
- Stair chair provides the safest means
- Light weight folding device
 - Wheeled
 - Straps
 - Grab bar below patient's feet
 - Handles
 - Tracks for descent (only)




- Use as many people as required
- Use a spotter
- Backs in a locked position
- Flex at hip, bend at knees and keep arms close to body



FIGURE 1-32B Moving a patient up steps with a third rescuer as spotter.



FIGURE 1-32C Moving a patient down steps with a third rescuer as spotter.



- Utilized for patients with suspected spinal injuries
 - Feature handholds and straps
 - Newer models made of synthetic material that does not absorb blood
- Long backboard
 - ~2 m long, used to stabilize entire spine
- Used for taking unconscious patients up/down stairs.



- Always lock breaks
- Swing away/remove leg rests to position the chair in close proximity to the patient
- If leg rests can't be removed, elevate foot plates for transfer
- Remove arm rests if needed

Vest Type Immobilization Device



- AKA “the KED”
- Extrication from
 - Vehicles
 - Tight places
- Fully immobilize ped patients
- Also flipped upside down to immobilize hip fractures.

- Indication – Dependant transfers
- Friction reducing
- Place under draw sheet
- One clinician pushes while the other pulls on the draw sheet
- Patient slides over to the other bed



Hover Matt & Jack



- Hover Matt – air filled mattress assist with transferring the pt.
- Hover Jack – Multi cell mattress used for lift and transferring patients
- Used in Bariatric calls



- Indication – Assisted transfers
- AKA Gait belt
- Fits around pt. has handles for clinician to grab onto

- Introduction
- Body Mechanics
- Principles of Moving Patients
- Equipment